

## Straight Hose x 1m (3'3") long

2017

MSRP/MAP


**Standard SHL**

 SHL : Standard Polyester Reinforced Silicone  
 Max. Temperature: 180°C (356°F)

**High-Temp TCH**

 TCH: High Temperature Aramid Reinforced  
 Silicone  
 Max. Temperature: 250°C (482°F)

**Fluorolined FSHL**
**FSHL : Oil & Diesel Resistant**  
 Designed for Oil and Diesel transfer and limited  
 Petrol vapour. Not for continuous petrol/fuel use &  
 not suitable for fuel lines. 2 Year Warranty.  
**Max. Temperature: 180°C (356°F)**
**ProFuel Lined PSHL**
**PSHL : Fuel Resistant - ProFuel™ Lined**  
**PSHL : Fuel Resistant - ProFuel™ Lined**  
 The World's first Performance Silicone hose for  
 permanent fuel use. Suitable for transport of  
 Petroleum & Diesel Fuels – can be used for fuel  
 lines, delivery, filler and breathers. 2 Year Warranty.  
 ProFuel™ green lining.  
**Max. Temperature: 180°C (356°F)**

I.D. (")	I.D. (mm)	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP
1/4"	6.5	USA/SHL/6.5	3.9mm	\$31.11	USA/TCH/6.5	4.0mm	\$37.48	USA/FSHL/6.5	4.1mm	\$60.51	USA/PSHL/6.5	4.1mm	\$66.56
5/16"	8	USA/SHL/8	3.9mm	\$34.11	USA/TCH/8	4.0mm	\$41.38	USA/FSHL/8	4.1mm	\$68.44	USA/PSHL/8	4.1mm	\$75.29
3/8"	9.5	USA/SHL/9.5	3.9mm	\$37.27	USA/TCH/9.5	4.0mm	\$45.12	USA/FSHL/9.5	4.1mm	\$76.38	USA/PSHL/9.5	4.1mm	\$84.03
7/16"	11	USA/SHL/11	3.9mm	\$41.66	USA/TCH/11	4.0mm	\$50.40	USA/FSHL/11	4.1mm	\$85.71	USA/PSHL/11	4.1mm	\$94.29
1/2"	13	USA/SHL/13	3.9mm	\$45.22	USA/TCH/13	4.0mm	\$68.76	USA/FSHL/13	4.1mm	\$94.73	USA/PSHL/13	4.1mm	\$104.21
5/8"	16	USA/SHL/16	3.9mm	\$47.02	USA/TCH/16	4.0mm	\$71.39	USA/FSHL/16	4.1mm	\$100.17	USA/PSHL/16	4.1mm	\$110.19
45/64"	18	USA/SHL/18	3.9mm	\$51.63	USA/TCH/18	4.0mm	\$72.00	USA/FSHL/18	4.1mm	\$102.18	USA/PSHL/18	4.1mm	\$112.40
3/4"	19	USA/SHL/19	3.9mm	\$52.89	USA/TCH/19	4.0mm	\$72.23	USA/FSHL/19	4.1mm	\$102.61	USA/PSHL/19	4.1mm	\$112.87
25/32"	20	USA/SHL/20	3.9mm	\$53.01	USA/TCH/20	4.0mm	\$72.52	USA/FSHL/20	4.1mm	\$103.32	USA/PSHL/20	4.1mm	\$113.65

Standard Colour: Blue

 Colour Options: Red / Green / Yellow / Purple / Black / Orange /  
 British Racing Green

Premium Colour Options:

 (+15%): White / Pink / Classic Black / Gunmetal Grey / Viper Red  
 (+35%): Silver / Samco Blaze / Urban Camo / Solar Orange Camo  
 / Lightning Blue Camo / Ninja Green Camo

## Straight Hose x 1m (3'3") long

2017

MSRP/MAP


**Standard SHL**

 SHL : Standard Polyester Reinforced Silicone  
 Max. Temperature: 180°C (356°F)

**High-Temp TCH**

 TCH: High Temperature Aramid Reinforced  
 Silicone  
 Max. Temperature: 250°C (482°F)

**Fluorolined FSHL**
**FSHL : Oil & Diesel Resistant**  
 Designed for Oil and Diesel transfer and limited  
 Petrol vapour. Not for continuous petrol/fuel use &  
 not suitable for fuel lines. 2 Year Warranty.  
**Max. Temperature: 180°C (356°F)**
**ProFuel Lined PSHL**
**PSHL : Fuel Resistant - ProFuel™ Lined**  
**PSHL : Fuel Resistant - ProFuel™ Lined**  
 The World's first Performance Silicone hose for  
 permanent fuel use. Suitable for transport of  
 Petroleum & Diesel Fuels – can be used for fuel  
 lines, delivery, filler and breathers. 2 Year Warranty.  
 ProFuel™ green lining.  
**Max. Temperature: 180°C (356°F)**

I.D. (")	I.D. (mm)	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP
7/8"	22	USA/SHL/22	3.9mm	\$53.33	USA/TCH/22	4.0mm	\$73.37	USA/FSHL/22	4.1mm	\$105.05	USA/PSHL/22	4.1mm	\$115.56
1"	25	USA/SHL/25	3.9mm	\$54.27	USA/TCH/25	4.0mm	\$80.35	USA/FSHL/25	4.1mm	\$116.32	USA/PSHL/25	4.1mm	\$127.96
1 1/8"	28	USA/SHL/28	3.9mm	\$58.85	USA/TCH/28	4.0mm	\$88.99	USA/FSHL/28	4.1mm	\$129.28	USA/PSHL/28	4.1mm	\$142.20
1 3/16"	30	USA/SHL/30	3.9mm	\$58.79	USA/TCH/30	4.0mm	\$93.74	USA/FSHL/30	4.1mm	\$136.79	USA/PSHL/30	4.1mm	\$150.45
1 1/4"	32	USA/SHL/32	3.9mm	\$62.17	USA/TCH/32	4.0mm	\$95.72	USA/FSHL/32	4.1mm	\$139.94	USA/PSHL/32	4.1mm	\$153.92
1 3/8"	35	USA/SHL/35	3.9mm	\$73.28	USA/TCH/35	4.0mm	\$127.90	USA/FSHL/35	4.1mm	\$170.86	USA/PSHL/35	4.1mm	\$187.93
1 1/2"	38	USA/SHL/38	3.9mm	\$79.05	USA/TCH/38	4.0mm	\$137.18	USA/FSHL/38	4.1mm	\$184.05	USA/PSHL/38	4.1mm	\$202.47
1 5/8"	41	USA/SHL/41	3.9mm	\$82.46	USA/TCH/41	4.8mm	\$139.84	USA/FSHL/41	4.1mm	\$187.80	USA/PSHL/41	4.1mm	\$206.58
1 3/4"	45	USA/SHL/45	3.9mm	\$88.28	USA/TCH/45	4.8mm	\$152.26	USA/FSHL/45	4.1mm	\$205.06	USA/PSHL/45	4.1mm	\$225.58

Standard Colour: Blue

 Colour Options: Red / Green / Yellow / Purple / Black / Orange /  
 British Racing Green


Premium Colour Options:

 (+15%): White / Pink / Classic Black / Gunmetal Grey / Viper Red  
 (+35%): Silver / Samco Blaze / Urban Camo / Solar Orange Camo  
 / Lightning Blue Camo / Ninja Green Camo

## Straight Hose x 1m (3'3") long

2017

MSRP/MAP


**Standard SHL**

 SHL : Standard Polyester Reinforced Silicone  
 Max. Temperature: 180°C (356°F)

**High-Temp TCH**

 TCH: High Temperature Aramid Reinforced  
 Silicone  
 Max. Temperature: 250°C (482°F)

**Fluorolined FSHL**
**FSHL : Oil & Diesel Resistant**  
 Designed for Oil and Diesel transfer and limited  
 Petrol vapour. Not for continuous petrol/fuel use &  
 not suitable for fuel lines. 2 Year Warranty.  
**Max. Temperature: 180°C (356°F)**
**ProFuel Lined PSHL**
**PSHL : Fuel Resistant - ProFuel™ Lined**  
**PSHL : Fuel Resistant - ProFuel™ Lined**  
 The World's first Performance Silicone hose for  
 permanent fuel use. Suitable for transport of  
 Petroleum & Diesel Fuels – can be used for fuel  
 lines, delivery, filler and breathers. 2 Year Warranty.  
 ProFuel™ green lining.  
**Max. Temperature: 180°C (356°F)**

I.D. (")	I.D. (mm)	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP
1 7/8"	48	USA/SHL/48	3.9mm	\$93.00	USA/TCH/48	4.8mm	\$162.05	USA/FSHL/48	4.1mm	\$218.50	USA/PSHL/48	4.1mm	\$240.35
2"	51	USA/SHL/51	4.6mm	\$98.57	USA/TCH/51	4.8mm	\$163.76	USA/FSHL/51	4.6mm	\$229.92	USA/PSHL/51	4.1mm	\$252.91
2 1/8"	54	USA/SHL/54	4.6mm	\$103.24	USA/TCH/54	4.8mm	\$169.86	USA/FSHL/54	4.6mm	\$239.33	USA/PSHL/54	4.1mm	\$263.26
2 1/4"	57	USA/SHL/57	4.6mm	\$108.84	USA/TCH/57	4.8mm	\$180.14	USA/FSHL/57	4.6mm	\$253.43	USA/PSHL/57	4.1mm	\$278.76
2 3/8"	60	USA/SHL/60	4.6mm	\$114.46	USA/TCH/60	4.8mm	\$187.62	USA/FSHL/60	4.6mm	\$264.74	USA/PSHL/60	4.1mm	\$291.20
2 1/2"	63	USA/SHL/63	4.6mm	\$119.09	USA/TCH/63	4.8mm	\$196.93	USA/FSHL/63	4.6mm	\$277.88	USA/PSHL/63	4.1mm	\$305.66
2 9/16"	65	USA/SHL/65	4.6mm	\$122.22	USA/TCH/65	5.5mm	\$236.91	USA/FSHL/65	4.6mm	\$285.45	USA/PSHL/65	4.1mm	\$314.01
2 11/16"	68	USA/SHL/68	4.6mm	\$127.81	USA/TCH/68	5.5mm	\$246.81	USA/FSHL/68	4.6mm	\$297.74	USA/PSHL/68	4.1mm	\$327.51
2 3/4"	70	USA/SHL/70	4.6mm	\$131.46	USA/TCH/70	5.5mm	\$254.10	USA/FSHL/70	4.6mm	\$306.65	USA/PSHL/70	4.1mm	\$337.33

Standard Colour: Blue

 Colour Options: Red / Green / Yellow / Purple / Black / Orange /  
 British Racing Green

Premium Colour Options:

 (+15%): White / Pink / Classic Black / Gunmetal Grey / Viper Red  
 (+35%): Silver / Samco Blaze / Urban Camo / Solar Orange Camo  
 / Lightning Blue Camo / Ninja Green Camo

## Straight Hose x 1m (3'3") long

2017

MSRP/MAP


**Standard SHL**

SHL : Standard Polyester Reinforced Silicone  
 Max. Temperature: 180°C (356°F)

**High-Temp TCH**

TCH: High Temperature Aramid Reinforced Silicone  
 Max. Temperature: 250°C (482°F)

**Fluorolined FSHL**

FSHL : Oil & Diesel Resistant  
 Designed for Oil and Diesel transfer and limited Petrol vapour. Not for continuous petrol/fuel use & not suitable for fuel lines. 2 Year Warranty.  
 Max. Temperature: 180°C (356°F)

**ProFuel Lined PSHL**

PSHL : Fuel Resistant - ProFuel™ Lined  
 Fuel Resistant - ProFuel™ Lined  
 The World's first Performance Silicone hose for permanent fuel use. Suitable for transport of Petroleum & Diesel Fuels – can be used for fuel lines, delivery, filler and breathers. 2 Year Warranty. ProFuel™ green lining.  
 Max. Temperature: 180°C (356°F)

I.D. (")	I.D. (mm)	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP
3"	76	USA/SHL/76	4.6mm	\$140.72	USA/TCH/76	5.5mm	\$272.81	USA/FSHL/76	4.6mm	\$330.24	USA/PSHL/76	4.1mm	\$363.27
3 1/8"	80	USA/SHL/80	4.6mm	\$149.83	USA/TCH/80	5.5mm	\$284.69	USA/FSHL/80	4.6mm	\$345.33	USA/PSHL/80	4.1mm	\$379.85
3 1/4"	83	USA/SHL/83	4.6mm	\$154.47	USA/TCH/83	5.5mm	\$295.42	USA/FSHL/83	4.6mm	\$358.46	USA/PSHL/83	4.1mm	\$394.30
3 1/2"	89	USA/SHL/89	6.5mm	\$166.22	USA/TCH/89	5.5mm	\$317.79	USA/FSHL/89	5.9mm	\$434.34	USA/PSHL/89	4.1mm	\$477.78
4"	102	USA/SHL/102	6.5mm	\$187.84	USA/TCH/102	5.5mm	\$361.42	USA/FSHL/102	5.9mm	\$494.96	USA/PSHL/102	4.1mm	\$544.46
4 1/3"	110	USA/SHL/110	6.5mm	\$258.71	USA/TCH/110	5.5mm	\$376.17	USA/FSHL/110	5.9mm	\$523.48	USA/PSHL/110	5.3mm	\$575.82
4 1/2"	114	USA/SHL/114	6.5mm	\$263.68	USA/TCH/114	5.5mm	\$380.42	USA/FSHL/114	5.9mm	\$540.15	USA/PSHL/114	5.3mm	\$594.18
5"	127	USA/SHL/127	6.5mm	\$295.02	USA/TCH/127	5.5mm	\$397.99	USA/FSHL/127	5.9mm	\$574.85	USA/PSHL/127	5.3mm	\$632.33
6"	152	USA/SHL/152	6.5mm	\$350.22	USA/TCH/152	5.5mm	\$470.53	USA/FSHL/152	5.9mm	\$691.07	USA/PSHL/152	5.3mm	\$760.18

Standard Colour: Blue

Colour Options: Red / Green / Yellow / Purple / Black / Orange / British Racing Green

Premium Colour Options:

 (+15%): White / Pink / Classic Black / Gunmetal Grey / Viper Red  
 (+35%): Silver / Samco Blaze / Urban Camo / Solar Orange Camo / Lightning Blue Camo / Ninja Green Camo

## Straight Hose x 1m (3'3") long

2017

MSRP/MAP


**Standard SHL**

 SHL : Standard Polyester Reinforced Silicone  
 Max. Temperature: 180°C (356°F)

**High-Temp TCH**

 TCH: High Temperature Aramid Reinforced  
 Silicone  
 Max. Temperature: 250°C (482°F)

**Fluorolined FSHL**

 FSHL : Oil & Diesel Resistant  
 Designed for Oil and Diesel transfer and limited  
 Petrol vapour. Not for continuous petrol/fuel use &  
 not suitable for fuel lines. 2 Year Warranty.  
 Max. Temperature: 180°C (356°F)

**ProFuel Lined PSHL**
**PSHL : Fuel Resistant - ProFuel™ Lined**  
**Fuel Resistant - ProFuel™ Lined**  
 The World's first Performance Silicone hose for  
 permanent fuel use. Suitable for transport of  
 Petroleum & Diesel Fuels – can be used for fuel  
 lines, delivery, filler and breathers. 2 Year Warranty.  
 ProFuel™ green lining.  
 Max. Temperature: 180°C (356°F)

I.D. (")	I.D. (mm)	Standard SHL			High-Temp TCH			Fluorolined FSHL			ProFuel Lined PSHL		
		Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP	Part No.	Wall Size	MSRP/MAP
8"	200	USA/SHL/200	6.5mm	\$475.19	USA/TCH/200	5.5mm	\$595.72	USA/FSHL/200	5.9mm	\$850.88	USA/PSHL/200	5.3mm	\$935.97

Standard Colour: Blue

 Colour Options: Red / Green / Yellow / Purple / Black / Orange /  
 British Racing Green

Premium Colour Options:

 (+15%): White / Pink / Classic Black / Gunmetal Grey / Viper Red  
 (+35%): Silver / Samco Blaze / Urban Camo / Solar Orange Camo  
 / Lightning Blue Camo / Ninja Green Camo